WEST Search History

Hide Items | Restore | Clear | Close

DATE: Wednesday, February 09, 2011

Hide?	Set Name	Query	Hit Count
Prior Art			
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
	L13	L12 and salmeterol	4
	L12	L9 NOT L10	22
	DB=USPT; PLUR=YES; OP=OR		
	L11	7074388.pn.	1
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
	L10	L9 and ((HFA or HFC or hydrofluoro$8) same water)	6
	L9	L8 and (HFA or HFC or hydrofluoro$8)	28
	L8	L7 and (propellant same water)	41
	L7	Adjei.in.	185
	L6	L4 and ("valve actuator" same (diameter or width or orifice))	2
	L5	L4 and ("valve actuator" with (diameter or width or orifice))	1
	L4	L3 and "channelling device"	78
	L3	L2 and (@pd<20021023 or @ad<20021023 or @prad<20021023 or @rlad<20021023 or @ptad<20021023)	96
	L2	(("metered dose inhaler" or MDI or pMDI or "channelling device") with "valve actuator")	131
	DB=USPT; PLUR=YES; OP=OR		
	L1	5261538.pn.	1

END OF SEARCH HISTORY